

60T HYDRAULIC MOORING WINCH c/w 230KW DIESEL ENGINE HYDRAULIC POWER PACK



OCS's 60T Hydraulic Single Mooring Winch is used for pipe pulling operations. The winch comprise of a drum which is welded to a high tensile steel main shaft supported by a pair of bushing/bearing. A central pinion shaft is mounted on drive shaft and fitted with jaw clutches to allow drum to work. The drum is also fitted with a spring loaded and hydraulic release fail-safe band brake.

An auto spooling gear assembly is fitted in front of the drum for automatic spooling during operation. When spooling in wire rope, it will distribute the wire rope evenly and tightly onto the drum if the rope is under sufficient tension. The wire rope passes through two vertical rollers, which run on roller bearings around a high tensile steel spindle held in a fabricated steel carriage. This carriage is supported on a bright steel guide shaft and a high tensile steel lead screw.

60T HYDRAULIC MOORING WINCH SPECIFICATIONS	
Drum Capacity	1350m (Maximum) x Dia. 38mm SWR
Rated Pull (1 st Layer)	60T x 0~6m/min (Low Speed @ 1 st Layer)
	25T x 0~14m/min (High Speed @ 1 st Layer)
Drum Brake Holding	130T (Static, 1 st Layer)
Brake Assembly	Hyd. Released, Spring Applied, Fail Safe Type
Clutch Assembly	Hyd. Operated Jaw Clutch
Ratchet Assembly	Hyd. Operated Pawl Type
Ratchet Holding Capacity	130T (Static, 1 st Layer)
Spooling	Auto Spooling Device with Manual – Declutch (For Dia. 52mm wire rope only)
Control	Local Control Stand

60T HYDRAULIC MOORING WINCH c/w 230KW DIESEL ENGINE HYDRAULIC POWER PACK

Dimensions	4.2 x 3.0 x 2.6 (m)
Weight	16.8 Ton (Bare)
No of Units	1



230KW DIESEL ENGINE HYDRAULIC POWER PACK SPECIFICATIONS

Engine	NISSAN Diesel RF8
Power & Speed	230kW @ 1500 rpm
Hydraulic Piston Pump	A11VO260LRDS/11R-NZD 12N00(1 x 350L/min)
Pressure Setting	230 Bar
Working Pressure	210 Bar
Air Cooler	OK-ELD6H/3.1/24V/1/S
Hydraulic Oil Tank Capacity	1125L
Diesel Oil Tank Capacity	400L
Engine Fuel Consumption	80L/h
Dimensions	3.8 x 1.8 x 2 (m)
Weight	5.5 Ton
No of Units	1

OCS has Equipment Work Order forms for individual equipment which serves as a checklist for operator to check the equipment conditions before and during operation. It is also important to regularly review the list of critical spare parts of the equipment before each project.



60T HYDRAULIC MOORING WINCH c/w 230KW DIESEL ENGINE HYDRAULIC POWER PACK

Where failures occur during operations Equipment bulletins will be issued to document the problem and the remediation solutions applied. The equipment bulletin will be circulated to all field engineers to be informed about the possible failure that can occur during the operation and thereby avoid future failure.

PROMOTER

Winches • Offshore & Marine Equipment

Promoter Hydraulics Pte Ltd

(A Wholly-owned subsidiary of Viking Offshore and Marine Limited)

21 Kian Teck Road, Singapore 628773

Tel: +65 6601 9500/ Fax: +65 6601 9600

Email: enquiry@promoter.com.sg / Website: www.promoter.com.sg

Registration No: 200513036G

CERTIFICATE OF MANUFACTURE

DATE :06/07/2018

THIS IS TO CERTIFY THAT THE MACHINERY LISTED BELOW HAD BEEN TESTED AND FOUND SATISFACTORY.

The particulars and test results are

Description	- 60 Ton Hydraulic Mooring Winch
Project No.	- PMP18003
Client	- Offshore Construction Specialists
Number tested	- 1 Unit
Date tested	- 21/05/2018
Rated Pull	- 60 Ton x 6 m/min @ 1 st Layer - 25 Ton x 14 m/min @ 1 st Layer
Brake Holding	- 130 Ton
Date of Manufacture	- Jun, 2018
Serial No.	- PE60T.S6017



Promoter Hydraulics Pte Ltd

PROMOTER

Winches • Offshore & Marine Equipment

Promoter Hydraulics Pte Ltd

(A Wholly-owned subsidiary of Viking Offshore and Marine Limited)

21 Kian Teck Road, Singapore 628773

Tel: +65 6601 9500/ Fax: +65 6601 9600

Email: enquiry@promoter.com.sg / Website: www.promoter.com.sg

Registration No: 200513036G

**CERTIFICATE
OF
MANUFACTURE**

DATE : 06/07/2018

THIS IS TO CERTIFY THAT THE MACHINERY LISTED BELOW HAD BEEN TESTED AND FOUND SATISFACTORY.

The particulars and test results are

Description	- 230 KW Diesel Engine Hydraulic Power Pack
Project No.	- PMP18003
Client	- Offshore Construction Specialists
Number tested	- 1 Unit
Date tested	- 21/05/2018
Working Pressure	- 220 Bar
Pump Flow	- 350 L/min
Date of Manufacture	- Jun , 2018
Serial No.	- PE34001P



Promoter Hydraulics Pte Ltd

To Whom It May Concern

20 Mar 2017

RE: Spark Arrestor Qualification

Dear Customer

This is to certify that the items mentioned below are qualified by the United States Department of Agriculture (Forestry) Equipment Development Centre, San Dimas, California 91773 submitted by Donaldson Company Inc.

<u>MODEL</u>	<u>POSITION</u>
M080024	HORIZONTAL or VERTICAL
M090091	HORIZONTAL or VERTICAL
M100016	HORIZONTAL or VERTICAL

Yours Sincerely,



Signature

Goh Wee Choon
Product Engineering Manager – Southeast Asia
Donaldson Filtration (Asia Pacific) Pte Ltd

To Whom It May Concern

20 Mar 2017

RE: Spark Arrestor Qualification

Dear Customer

This is to certify that the items mentioned below are qualified by the United States Department of Agriculture (Forestry) Equipment Development Centre, San Dimas, California 91773 submitted by Donaldson Company Inc.

<u>MODEL</u>	<u>POSITION</u>
M080024	HORIZONTAL or VERTICAL
M090091	HORIZONTAL or VERTICAL
M100016	HORIZONTAL or VERTICAL

Yours Sincerely,



Signature

Goh Wee Choon
Product Engineering Manager – Southeast Asia
Donaldson Filtration (Asia Pacific) Pte Ltd